## **PET Acoustical Felt Systems** by Linea Ceiling & Wall Systems

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 5616376793088 CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Linea Ceiling & Wall Systems include product lines manufactured from recycled PET (Polyethylene Terephthalate) and are available in three sound absorbing thicknesses, 9mm, 12mm and 24mm. PET Acoustic Felt products are acoustical and tackable materials made from recycled water bottles. PET is salvageable or reusable in its entirety and is 100% recyclable. This HPD covers all available colors and thicknesses of PET Acoustical Systems, including: Baffles, Beams, Clouds, Folds, Screens, Panels, Wall Tiles, Ceiling Tiles, and Flexi-Felt.

## Section 1: Summary

## **Nested Method / Material Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

C Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY** 

GREENSCREEN SCORE | HAZARD TYPE

PET ACOUSTICAL FELT [ POLYETHYLENE TEREPHTHALATE (PET) LT-P1 N,N'-ETHYLENE DISTEARYLAMIDE LT-UNK STEARIC ACID LT-P1 | END TITANIUM DIOXIDE BM-1 \* | CAN | END | MAM ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2024-07-31** PUBLISHED DATE: 2024-07-31 EXPIRY DATE: 2027-07-31

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### PET ACOUSTICAL FELT %: 100.0000 - 100.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances given as ranges to account for potential variations in manufacturing and due to the various colors available. PET felt supplier has the following available: Product-Specific Environmental Product Declaration (EPD); OEKO-TEX Standard 100 (Class I); GREENGUARD Gold Certification; Recycled Content Certification; SVHC and ROHS testing. Please contact manufacturer if more information is required.

#### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-07-31 15:31:55
%: 98.5000 - 99.5000	GreenScreen: LT-P1	RC: PostC	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Minimum 60% post-consumer recycled PET bottles.

#### N,N'-ETHYLENE DISTEARYLAMIDE

ID: 110-30-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZARD S	SCREENING DATE: 2024-07-31 15:31:55
%: <b>0.1000 - 1.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

STEARIC ACID ID: 57-11-4

	haros Chemical and Materials Lib	rary	HAZARD S	SCREENING DATE: 2024-07-31 15:31:5
%: <b>0.1000 - 1.0000</b>	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	ne Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

TITANIUM DIOXIDE				ID: <b>13463-67-</b> 7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2024-07-31 15:31:50
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Card	cinogen**
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route**
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**	
CAN	MAK			o 3A - Evidence of carcinogenic effects o establish MAK/BAT value**
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	ne Disruptor**
CAN	MAK		Carcinogen Group	o 4 - Non-genotoxic carcinogen with low AT levels**
CAN	IARC		Group 2b - Possib	oly carcinogenic to humans**
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	LI A)	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **CDPH Standard Method - Not tested**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-07-23 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: Abbotsford, BC, CANADA

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: Our supplier has VOC Emissions testing available for the PET felt. We are in the process of having VOC Emissions testing completed for the finished PET Acoustical Panels.

**EXPIRY DATE:** 



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **ADHESIVE**

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Adhesive as appropriate for installation.

#### **MECHANICAL FASTENERS**

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Mechanical fasteners as appropriate for installation.



## Section 5: General Notes

Linea PET Acoustical Panels are intended for use in a wide range of applications, including:

- Performing Arts Centers and Lecture Halls Government and Corporate Offices Airports and Travel Hubs
- · Schools and Education Facilities · Casinos and Entertainment Venues · Churches and Places of Worship · Museums and Libraries
- · Hospitals and Health Care Facilities · Restaurants and Cafeterias · Commercial/Industrial Buildings · Multiplex / Theatre
- Video and Teleconference Rooms
  Recording Studios and Home Theatres.

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Linea Ceiling & Wall Systems

ADDRESS: 2320 Peardonville Road

Abbotsford, BC V2T 6J8 COUNTRY: CANADA

WEBSITE: https://www.LineaCeilings.com

CONTACT NAME: Tim Peters TITLE: Sales Manager PHONE: (604) 776-2265 x101

EMAIL: tim.peters@lineaceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and



PET Acoustical Felt Systems